ELSEVIER

Aquaculture 209 (2002) 385–387

Aquaculture

www.elsevier.com/locate/aqua-online

Contents of *Aquaculture*, Volume 209

VOL. 209 NOS. 1–4 **28 June 2002**

Announcement v

Diseases, Parasites and Predators

CpG oligodeoxynucleotides enhance the non-specific immune responses on carp, *Cyprinus carpio*
A.C.M.A.R. Tassakka and M. Sakai (Miyazaki, Japan). 1

Hypnospores detected by RFTM in clam (*Ruditapes decussatus*) tissues belong to two different protozoan organisms, *Perkinsus atlanticus* and a *Perkinsus*-like organism
B. Novoa, M.C. Ordás and A. Figueras (Vigo, Spain) 11

Dosage regime experiments with oxolinic acid and flumequine in Atlantic salmon (*Salmo salar* L) held in seawater
O.F. Ellingsen, B. Midttun, A. Rogstad, C. Syvertsen (Oslo, Norway) and O.B. Samuelsen (Bergen, Norway) 19

Development of a method for reproducing epizootic ulcerative syndrome using controlled doses of *Aphanomyces invadans* in species with different salinity requirements
E.S. Catap (Tigbauan, Philippines) and B.L. Munday (Launceston, Tas., Australia). 35

Kyphosis in reared sea bass (*Dicentrarchus labrax* L.): ontogeny and effects on mortality
G. Koumoundouros, E. Maingot, P. Divanach and M. Kentouri (Crete, Greece) 49

Genetics and Breeding

Genetic variation for growth rate, feed conversion efficiency, and disease resistance exists within a farmed population of rainbow trout
M. Henryon (Tjele, Denmark), A. Jokumsen (Hirtshals, Denmark), P. Berg (Tjele, Denmark), I. Lund, P.B. Pedersen (Hirtshals, Denmark), N.J. Olesen and W.J. Slierendrecht (Aarhus, Denmark) 59

Relationships between genetic variation measured by microsatellite DNA markers and a fitness-related trait in the guppy (*Poecilia reticulata*)
T. Shikano and N. Taniguchi (Sendai, Japan) 77

Disease resistance and immune characteristics in rainbow trout (*Oncorhynchus mykiss*) selected for lysozyme activity
K.H. Røed (Oslo, Norway), S.-E. Fevolden (Tromsø, Norway) and K.T. Fjalestad (Ås, Norway) . . 91

Growth and survival in two complete diallele crosses with five stocks of Rohu carp (*Labeo rohita*)
B. Gjerde (Ås, Norway), P.V.G.K. Reddy, K.D. Mahapatra, J.N. Saha, R.K. Jana, P.K. Meher, M. Sahoo, S. Lenka, P. Govindassamy (Bhubaneswar, India) and M. Rye (Ås, Norway) 103

Husbandry and Management

The effect of chemical cues on settlement behaviour of blacklip pearl oyster (*Pinctada margaritifera*) larvae
M.S. Doroudi and P.C. Southgate (Townsville, Que., Australia) 117

Effects of salinity acclimation on pre-smolt growth, smolting and post-smolt performance in off-season Atlantic salmon smolts (*Salmo salar* L.)
S.O. Handeland and S.O. Stefansson (Bergen, Norway) 125

Bimodal length distributions of cultured chinook salmon and the relationship of length modes to adult survival
R.D. Ewing and G.S. Ewing (Corvallis, OR, USA) 139
The effect of embryo incubation temperature on indicators of larval viability in Stage I phyllosoma of the spiny lobster, *Jasus edwardsii*
G.G. Smith, A.J. Ritar (Taroona, Tas., Australia), P.A. Thompson (Launceston, Tas., Australia), G.A. Dunstan and M.R. Brown (Hobart, Tas., Australia) 157
Nutrient removal from aquaculture wastewater using a constructed wetlands system
Y.-F. Lin, S.-R. Jing, D.-Y. Lee and T.-W. Wang (Tainan, Taiwan) 169
Predicting live-chilling dynamics of Atlantic salmon (*Salmo salar*)
P.O. Skjervold, S.O. Fjæra and L. Snipen (Ås, Norway) 185
Study of a suitable fish plasma for in vitro culture of glochidia *Hyriopsis myersiana*
K. Uthaiwan, P. Pakkong, N. Noparatnaraporn (Bangkok, Thailand), L. Vilarinho and J. Machado (Oporto, Portugal) 197

Nutrition

Effect of dietary lipid level on nutritional performance of the surubim, *Pseudoplatystoma coruscans*
R.C. Martino (Rio de Janeiro, Brazil), J.E.P. Cyrino, L. Portz (Piracicaba, Brazil) and L.C. Trugo (Rio de Janeiro, Brazil) 209
Dietary lipid level and growth hormone alter growth and body conformation of blue tilapia, *Oreochromis aureus*
K. Wille (Aalborg, Denmark), E. McLean, J.S. Goddard (Al-Khoud, Oman) and J.C. Byatt (St. Louis, MO, USA) 219
Performance and fatty acid composition of surubim (*Pseudoplatystoma coruscans*) fed diets with animal and plant lipids
R.C. Martino (Rio de Janeiro, Brazil), J.E.P. Cyrino, L. Portz (Piracicaba, Brazil) and L.C. Trugo (Rio de Janeiro, Brazil) 233

Physiology and Endocrinology

Effects of starvation on melano-macrophages in the kidney of masu salmon (*Oncorhynchus masou*)
S. Mizuno, N. Misaka (Erimo, Japan), Y. Miyakoshi, K. Takeuchi (Eniwa, Japan) and N. Kasahara (Erimo, Japan) 247
Accelerated growth performance and stable germ-line transmission in androgenetically derived homozygous transgenic mud loach, *Misgurnus mizolepis*
Y.K. Nam, Y.S. Cho, H.J. Cho and D.S. Kim (Pusan, South Korea) 257
Isolation and transient expression of a cDNA encoding L-gulono-γ-lactone oxidase, a key enzyme for L-ascorbic acid biosynthesis, from the tiger shark *Scyliorhinus torazame*
Y.K. Nam, Y.S. Cho (Pusan, South Korea), S.E. Douglas, J.W. Gallant, M.E. Reith (Halifax, Nova Scotia, Canada) and D.S. Kim (Pusan, South Korea) 271
A comparative study on morphological differences in the olfactory system of red sea bream (*Pagrus major*) and black sea bream (*Acanthopagrus schlegeli*) from wild and cultured stocks
R.R. Mana and G. Kawamura (Kagoshima, Japan) 285
Combined effect of temperature and salinity on osmoregulation of juvenile and subadult *Penaeus stylirostris*
P. Lemaire, E. Bernard (Nouméa, New Caledonia), J.A. Martinez-Paz (Santiago, Spain) and L. Chim (Nouméa, New Caledonia) 307
Regulation of pituitary gonadotropin II and growth hormone content by sex steroids and pituitary extract in the aquacultured Japanese eel, *Anguilla japonica*
S.-R. Jeng (Keelung, Taiwan, ROC), G.-R. Chen, J.-Y. Lai (Lukang, Taiwan, ROC), Y.-S. Huang (Keelung, Taiwan, ROC), S. Dufour (Naturelle, France) and C.-F. Chang (Keelung, Taiwan, ROC) . 319
Latitudinal variation in reproductive behavior in the pearl oyster, *Pinctada albina sugillata*
W.A. O'Connor (New South Wales, Australia) 333
Effect of light intensity on maturation and spawning of ablated female *Penaeus merguiensis*
T. Hoang, S.Y. Lee, C.P. Keenan (Queensland, Australia) and G.E. Marsden (NSW, Australia) . . . 347

A new technique for insemination of large egg batches with cryopreserved semen in the rainbow trout
F. Lahnsteiner, N. Mansour (Salzburg, Austria) and T. Weismann (Mondsee, Austria) 359
Effect of temperature on growth and survival of *Chirostoma estor estor*, Jordan 1879, monitored using a simple video technique for remote measurement of length and mass of larval and juvenile fishes
C.A. Martínez-Palacios, E. Barriga Tovar (Morelia, Mexico), J.F. Taylor (Stirling, UK), G. Ríos Durán (Morelia, Mexico) and L.G. Ross (Stirling, UK) 369

Short Communication
Is the growth rate of fish set by digestive enzymes or metabolic capacity of the tissues? Insight from transgenic coho salmon
P.U. Blier, H. Lemieux (Rimouski, QC, Canada) and R.H. Devlin (West Vancouver, BC, Canada) . 379

Contents of *Aquaculture*, Volume 209 385